

Prepared for:

S.S.A INC

1500 W. Hampden Ave STE 1B
Englewood, CO USA 80110


CBG Gummy

Batch ID or Lot Number: SLGV5-020123	Test: Potency	Reported: 08Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000234921	Started: 08Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 28Feb2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.500	1.438	ND	ND	# of Servings = 1, Sample Weight=6g
Cannabichromenic Acid (CBCA)	0.457	1.316	ND	ND	
Cannabidiol (CBD)	1.426	3.908	ND	ND	
Cannabidiolic Acid (CBDA)	1.462	4.008	ND	ND	
Cannabidivarin (CBDV)	0.337	0.924	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.610	1.672	ND	ND	
Cannabigerol (CBG)	0.284	0.817	36.910	6.20	
Cannabigerolic Acid (CBGA)	1.187	3.414	ND	ND	
Cannabinol (CBN)	0.370	1.065	ND	ND	
Cannabinolic Acid (CBNA)	0.810	2.329	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.414	4.067	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.284	3.694	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.138	3.273	ND	ND	
Tetrahydrocannabivarin (THCV)	0.258	0.743	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.004	2.887	ND	ND	
Total Cannabinoids			36.910	6.20	
Total Potential THC			ND	ND	
Total Potential CBD			ND	ND	

Final Approval



Sam Smith
08Mar2023
03:55:00 PM MST

PREPARED BY / DATE



Karen Winternheimer
08Mar2023
04:02:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5d3e12cc-17a2-4a90-a029-3cedb68989d9>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02

5d3e12cc17a24a90a0293cedb68989d9.1